



ITAB




AVIOR CONTINUOUS




Avior Continuous is a complete linear lighting system consisting of separate trunking units and LED battens. Avior Continuous allows for flexible and modular planning while keeping installation and maintenance fast and simple.

Avior Continuous minimises installation time and cost through easy and tool-free installation



Endless connection




Innovative optics design for lowest light loss and optimum efficiency

Driver equipped with DIP switch for flexible on-device setting of lumen output.



OPTICS




Trunking rail

4 cables E1+,E1-,E2+,E2- for 2 central battery system circuit


CHR

5 cables L1, L2,L3,N,G, for power supply




White and black finish available




2 dimming cables DIM+,DIM- for 1-10V or DALI control



8-pole



11-pole



8 Wires

Description	L	W	H
8 wires	1437	65	45
8 wires	2874	65	45

11 Wires

Description	L	W	H
11 wires	1437	65	45
11 wires	2874	65	45



Contact us for more information on emergency trunking and LED battens.

LED Batten

* = fixture colour 1 = white, 2 = black

Item	Article Nr	Beam angle	Color temp K.	Lumen	System Power (W)	System Lm/W
LED Batten 840, 90°	375-1 *147DC0000	90°	4000	9000	56.0	161
	375-1 *137DC0000	90°	4000	7950	48.6	164
	375-1 *127DC0000	90°	4000	6750	40.7	166
	375-1 *117DC0000	90°	4000	5500	32.8	168
LED Batten 830, 90°	375-1 *146DC0000	90°	3000	8550	56.0	153
	375-1 *136DC0000	90°	3000	7550	48.6	155
	375-1 *116DC0000	90°	3000	6400	40.7	157
	375-1 *106DC0000	90°	3000	5200	32.8	159
LED Batten 840, 60°	375-1 *147DB0000	60°	4000	9000	56.0	161
	375-1 *137DB0000	60°	4000	7950	48.6	164
	375-1 *127DB0000	60°	4000	6750	40.7	166
	375-1 *117DB0000	60°	4000	5500	32.8	168
LED Batten 830, 60°	375-1 *146DB0000	60°	3000	8550	56.0	153
	375-1 *136DB0000	60°	3000	7550	48.6	155
	375-1 *116DB0000	60°	3000	6400	40.7	157
	375-1 *106DB0000	60°	3000	5200	32.8	159
LED Batten 840, 30°	375-1 *147DA0000	30°	4000	9150	56.0	163
	375-1 *137DA0000	30°	4000	8100	48.6	167
	375-1 *127DA0000	30°	4000	6900	40.7	170
	375-1 *117DA0000	30°	4000	5700	32.8	174
LED Batten 830, 30°	375-1 *146DA0000	30°	3000	8700	56.0	155
	375-1 *136DA0000	30°	3000	7650	48.6	157
	375-1 *126DA0000	30°	3000	6550	40.7	161
	375-1 *116DA0000	30°	3000	5400	32.8	165
LED Batten 840, Double assymetric	375-1 *147200000	DA	4000	8800	56.0	157
	375-1 *137200000	DA	4000	7800	48.6	160
	375-1 *127200000	DA	4000	6600	40.7	162
	375-1 *107200000	DA	4000	5400	32.8	165
LED Batten 830, Double assymetric	375-1 *136200000	DA	3000	8400	56.0	150
	375-1 *126200000	DA	3000	7400	48.6	152
	375-1 *116200000	DA	3000	6300	40.7	155
	375-1 *106200000	DA	3000	5150	32.8	157
LED Batten 840, Single assymetric	375-1 *147210000	SA	4000	9100	56.0	163
	375-1 *137210000	SA	4000	8000	48.6	165
	375-1 *127210000	SA	4000	6800	40.7	167
	375-1 *117210000	SA	4000	5550	32.8	169
LED Batten 830, Single assymetric	375-1 *146210000	SA	3000	8600	56.0	154
	375-1 *136210000	SA	3000	7600	48.6	156
	375-1 *126210000	SA	3000	6500	40.7	160
	375-1 *106210000	SA	3000	5300	32.8	162
LED Batten 840, 120°	375-1 *147DD0000	120°	4000	8900	59.9	149
	375-1 *137DD0000	120°	4000	7850	52.0	151
	375-1 *127DD0000	120°	4000	6650	43.5	153
	375-1 *107DD0000	120°	4000	5400	35.0	154
LED Batten 830, 120°	375-1 *136DD0000	120°	3000	8500	59.9	142
	375-1 *126DD0000	120°	3000	7500	52.0	144
	375-1 *116DD0000	120°	3000	6350	43.5	146
	375-1 *106DD0000	120°	3000	5150	35.0	147

Trunking & Accessories


Item	Article Nr	Picture
Avior Continuous trunking 1437mm 8 pole white	375-201-001-10	
Avior Continuous trunking 1437mm 8 pole black	375-201-001-20	
Avior Continuous trunking 2874mm 8 pole white	375-201-002-10	
Avior Continuous trunking 2874mm 8 pole black	375-201-002-20	
Avior Continuous End Cap white	375-288-001-10	
Avior Continuous End Cap black	375-288-001-20	
Avior Continuous input terminal 8 pole	375-4101	
Avior Continuous terminal feed 8 pole white	375-4102-10	
Avior Continuous terminal feed 8 pole black	375-4102-20	
Avior Continuous End Box white	375-4103-10	
Avior Continuous End Box black	375-4103-20	
Avior Continuous input Cable protector	375-4104-10	
Avior Continuous cable suspension kit 4m	375-4201	
Avior Continuous chain suspension kit	375-4203	
Avior Continuous surface mounting kit	375-4202	
Track batten 1437mm white	375-208-001-10	
Track batten 1437mm black	375-208-001-20	




Accessories




Chain suspension kit




Steel cable suspension kit




Surface mounting kit




Chain



Steel cable



Surface mounted



Installation distances

