

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Injekteringsmassa WIT-PM200 (A)

Product code : 5918244280 (A)

Unique Formula Identifier (UFI) : 8PQ2-70AH-600Y-230V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Adhesives
Professional use product

1.3 Details of the supplier of the safety data sheet

Company : Würth Svenska AB
Berglundavägen 38
70236 Örebro

E-mail address of person responsible for the SDS : prodsafe@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 : H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 3 : H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Tetramethylene dimethacrylate
Ehylene dimethacrylate
Methacrylic acid, monoester with propane-1,2-diol
Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tetramethylene dimethacrylate	2082-81-7 218-218-1 01-2119967415-30	Skin Sens. 1B; H317	>= 10 - < 20
Vinyltoluene	25013-15-4 246-562-2 01-2119622074-50	Flam. Liq. 3; H226 Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Asp. Tox. 1; H304	>= 2,5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version
11.0

Revision Date:
17.08.2021

SDS Number:
849232-00009

Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

		Aquatic Acute 1; H400 Aquatic Chronic 2; H411	
		M-Factor (Acute aquatic toxicity): 1	
Ethylene dimethacrylate	97-90-5 202-617-2 607-114-00-5 01-2119965172-38	Skin Sens. 1; H317 STOT SE 3; H335 specific concentration limit STOT SE 3; H335 >= 10 %	>= 1 - < 10
Methacrylic acid, monoester with propane-1,2-diol	27813-02-1 248-666-3 01-2119490226-37	Eye Irrit. 2; H319 Skin Sens. 1; H317 specific concentration limit STOT SE 3; H335 >= 10 %	>= 1 - < 10
1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	6846-50-0 229-934-9 01-2119451093-47	Repr. 2; H361d Aquatic Chronic 3; H412	>= 0,25 - < 1
Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-(4-methylphenyl)imino]diethanol	Not Assigned 01-2119979579-10	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity: 619 mg/kg	>= 0,25 - < 1
1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3 254-075-1 01-2119980937-17	Acute Tox. 2; H300 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 0,25 - < 1
Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2	Carc. 2; H351	>= 0,1 - < 1
1,4-Naphthoquinone	130-15-4 204-977-6 01-2120760462-57	Acute Tox. 3; H301 Acute Tox. 1; H330 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Acute 1; H400	>= 0,025 - < 0,1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

			Aquatic Chronic 1; H410
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10
			Acute toxicity estimate
			Acute oral toxicity: 124 mg/kg Acute inhalation toxicity (dust/mist): 0,046 mg/l

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Silicon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents

Recommended storage temperature : 5 - 25 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Quartz	14808-60-7	NGV (Respirable fraction)	0,1 mg/m ³	SE AFS
Further information: Substance is carcinogenic.				
Vinyltoluene	25013-15-4	KGV	30 ppm 150 mg/m ³	SE AFS
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded, Substance can be easily absorbed through the skin.				
		NGV	10 ppm 50 mg/m ³	SE AFS
Further information: Substance can be easily absorbed through the skin.				
Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	NGV (Total dust)	5 mg/m ³	SE AFS

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Tetramethylene dimethacrylate	Workers	Inhalation	Long-term systemic effects	14,5 mg/m ³
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,3 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	2,5 mg/kg bw/day
Methacrylic acid, monoester with propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	14,7 mg/m ³
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,8 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	2,5 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**Injekteringsmassa WIT-PM200 (A)**Version
11.0Revision Date:
17.08.2021SDS Number:
849232-00009Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

	Consumers	Ingestion	Long-term systemic effects	2,5 mg/kg bw/day
1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	Workers	Inhalation	Long-term systemic effects	17,62 mg/m ³
	Workers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,35 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5 mg/kg bw/day
1,4-Naphthoquinone	Workers	Inhalation	Long-term systemic effects	0,033 mg/m ³
Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol	Workers	Inhalation	Long-term systemic effects	9,8 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1,4 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,9 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
Ethylene dimethacrylate	Workers	Inhalation	Long-term systemic effects	2,45 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1,3 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,45 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
1,1'-(p-tolylimino)dipropan-2-ol	Workers	Inhalation	Long-term systemic effects	2 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0,6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,4 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0,3 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,3 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version
11.0

Revision Date:
17.08.2021

SDS Number:
849232-00009

Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Substance name	Environmental Compartment	Value
Tetramethylene dimethacrylate	Fresh water	0,087 mg/l
	Marine water	0,009 mg/l
	Intermittent use/release	0,098 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	3,12 mg/kg
	Marine sediment	0,312 mg/kg
	Soil	0,573 mg/kg
Methacrylic acid, monoester with propane-1,2-diol	Fresh water	0,904 mg/l
	Marine water	0,904 mg/l
	Intermittent use/release	0,972 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	6,28 mg/kg
	Marine sediment	6,28 mg/kg
	Soil	0,727 mg/kg
1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	Fresh water	0,014 mg/l
	Marine water	0,001 mg/l
	Sewage treatment plant	3 mg/l
	Fresh water sediment	5,29 mg/kg dry weight (d.w.)
	Marine sediment	0,529 mg/kg dry weight (d.w.)
	Soil	1,05 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	83,3 mg/kg food
1,4-Naphthoquinone	Fresh water	0,0261 µg/l
	Freshwater - intermittent	0,261 µg/l
	Marine water	0,00261 µg/l
	Marine water - intermittent	0,0261 µg/l
	Sewage treatment plant	0,172 mg/l
	Fresh water sediment	0,000321 mg/kg dry weight (d.w.)
	Marine sediment	0,000032 mg/kg dry weight (d.w.)
Soil	0,000049 mg/kg dry weight (d.w.)	
Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol	Fresh water	0,048 mg/l
	Freshwater - intermittent	0,48 mg/l
	Marine water	0,005 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,2 mg/kg dry weight (d.w.)
	Marine sediment	0,12 mg/kg dry weight (d.w.)
	Soil	0,21 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

		weight (d.w.)
Ehylene dimethacrylate	Fresh water	0,139 mg/l
	Marine water	0,0139 mg/l
	Intermittent use/release	0,15 mg/l
	Sewage treatment plant	57 mg/l
	Fresh water sediment	1,6 mg/kg
1,1'-(p-tolylimino)dipropan-2-ol	Marine sediment	0,16 mg/kg
	Soil	0,239 mg/kg
	Fresh water	0,017 mg/l
	Marine water	0,0017 mg/l
	Intermittent use/release	0,17 mg/l
	Sewage treatment plant	199,5 mg/l
	Fresh water sediment	0,0782 mg/kg
	Marine sediment	0,00782 mg/kg
	Soil	0,005 mg/kg

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection	: Wear the following personal protective equipment: Safety glasses Equipment should conform to SS EN 166
Hand protection	
Material	: Nitrile rubber
Break through time	: > 480 min
Glove thickness	: 0,5 mm
Directive	: Equipment should conform to SS EN 374
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to SS EN 14387
Filter type	: Combined particulates and organic vapour type (A-P)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	beige
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density	:	1,72 g/cm ³ (20 °C)
Relative vapour density	:	Not applicable
Particle characteristics		
Particle size	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
---------------------------	---	---

Components:

Tetramethylene dimethacrylate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Acute oral toxicity : LD50 (Rat): 10.066 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Remarks: Based on data from similar materials

Vinyltoluene:

Acute oral toxicity : LD50 (Rat): 4.000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 14 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Remarks: Based on data from similar materials
Acute dermal toxicity : LD50 (Rabbit): > 4.585 mg/kg
Remarks: Based on data from similar materials

Ethylene dimethacrylate:

Acute oral toxicity : LD50 (Rat): 8.300 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Methacrylic acid, monoester with propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Acute oral toxicity : LD50 (Rat, male): 619 mg/kg
Method: OECD Test Guideline 401



Acute toxicity estimate: 619 mg/kg
Method: Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

||

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

1,1'-(p-tolylimino)dipropan-2-ol:

Acute oral toxicity : LD50 (Rat): > 25 - 200 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

1,4-Naphthoquinone:

Acute oral toxicity : LD50 (Rat): 124 mg/kg

|||

Acute toxicity estimate: 124 mg/kg
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat): 0,046 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

|||

Acute toxicity estimate: 0,046 mg/l
Test atmosphere: dust/mist
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Species : Rabbit
Result : No skin irritation

Ethylene dimethacrylate:

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rabbit
Result : No skin irritation

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

1,1'-(p-tolylimino)dipropan-2-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species : Rabbit
Result : No skin irritation

1,4-Naphthoquinone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Species : Rabbit
Result : No eye irritation

Vinyltoluene:

Result : Irritation to eyes, reversing within 21 days

Ethylene dimethacrylate:

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Result : No eye irritation

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

1,1'-(p-tolylimino)dipropan-2-ol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 7 days

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species : Rabbit
Result : No eye irritation

1,4-Naphthoquinone:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Vinyltoluene:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Ethylene dimethacrylate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Methacrylic acid, monoester with propane-1,2-diol:

Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Result : negative

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

1,1'-(p-tolylimino)dipropan-2-ol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Species : Mouse
Result : negative

1,4-Naphthoquinone:

Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Vinyltoluene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: Ingestion
Result: negative

Ethylene dimethacrylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Methacrylic acid, monoester with propane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: Directive 67/548/EEC, Annex, B.13/14
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 489
Result: negative

1,1'-(p-tolylimino)dipropan-2-ol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

1,4-Naphthoquinone:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Species: Hamster
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Vinyltoluene:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 103 weeks
Result : negative

Species : Rat
Application Route : Ingestion
Exposure time : 108 weeks
Result : negative

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rat
Application Route : Inhalation
Exposure time : 102 weeks
Result : negative

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Vinyltoluene:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Ethylene dimethacrylate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Methacrylic acid, monoester with propane-1,2-diol:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

1,1'-(p-tolylimino)dipropan-2-ol:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

1,4-Naphthoquinone:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Vinyltoluene:

Assessment : May cause respiratory irritation.

Ethylene dimethacrylate:

||Assessment : May cause respiratory irritation.

1,4-Naphthoquinone:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Ethylene dimethacrylate:

Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Tetramethylene dimethacrylate:

Species : Rat
NOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 33 Days
Method : OECD Test Guideline 422

Ethylene dimethacrylate:

Species : Rat, male
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 50 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Species : Rat
LOAEL : 1,23 mg/l
Application Route : inhalation (vapour)
Exposure time : 90 Days
Method : OECD Test Guideline 413

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rat
NOAEL : >= 300 mg/kg
Application Route : Ingestion
Exposure time : 49 Days
Method : OECD Test Guideline 422

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species : Rat, male
NOAEL : 150 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Species : Rat, female
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Species : Rat
NOAEL : 24.000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 10 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Components:

Vinyltoluene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tetramethylene dimethacrylate:

- Toxicity to fish : EC50 (Leuciscus idus (Golden orfe)): 32,5 mg/l
Exposure time: 48 h
Method: DIN 38412
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 4,35 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- ErC50 (Desmodesmus subspicatus (green algae)): 9,79 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 7,51 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Vinyltoluene:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9,3 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,319 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Desmodesmus subspicatus (green algae)): 0,25 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : NOEC : 170 mg/l
Exposure time: 3 h

Ethylene dimethacrylate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 15,95 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 44,9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 17,3 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Pseudokirchneriella subcapitata (green algae)): 6,93 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 : 570 mg/l
Exposure time: 30 min
Method: ISO 8192
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 5,05 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Methacrylic acid, monoester with propane-1,2-diol:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 493 mg/l
Exposure time: 48 h
Method: DIN 38412
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 143 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 97,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): >= 97,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 (Pseudomonas putida): 1.140 mg/l
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 45,2 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,55 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,46 mg/l
Exposure time: 48 h
Remarks: No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 7,49 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- NOEC (Pseudokirchneriella subcapitata (green algae)): 3,56 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,7 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 48 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

1,1'-(p-tolylimino)dipropan-2-ol:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 17 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version 11.0 Revision Date: 17.08.2021 SDS Number: 849232-00009 Date of last issue: 03.05.2021
Date of first issue: 30.10.2013

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 28,8 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 57,8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- ErC50 (Desmodesmus subspicatus (green algae)): 245 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 : > 1.995 mg/l
Exposure time: 30 min

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l
Exposure time: 72 h
- Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

1,4-Naphthoquinone:

- Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 0,045 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,026 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,42 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,07 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Toxicity to microorganisms : EC10 : 1,28 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 10

12.2 Persistence and degradability

Components:

Tetramethylene dimethacrylate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 28 d
Method: OECD Test Guideline 310

Vinyltoluene:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 36,7 %
Method: OECD Test Guideline 301D

Ethylene dimethacrylate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 71,6 %
Exposure time: 30 d
Method: OECD Test Guideline 301C

Methacrylic acid, monoester with propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 70,73 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 1,5 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

1,1'-(p-tolylimino)dipropan-2-ol:

Biodegradability : Result: Inherently biodegradable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Biodegradation: 90,1 %
Exposure time: 60 d
Method: OECD Test Guideline 301B

1,4-Naphthoquinone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Components:

Tetramethylene dimethacrylate:

Partition coefficient: n-octanol/water : log Pow: 3,1

Vinyltoluene:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,44
Remarks: Calculation

Ethylene dimethacrylate:

Partition coefficient: n-octanol/water : log Pow: 2,4

Methacrylic acid, monoester with propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: 0,97

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.130 - 1.200
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,91
Remarks: Calculation

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Partition coefficient: n-octanol/water : log Pow: 2,17
Method: OECD Test Guideline 117

1,1'-(p-tolylimino)dipropan-2-ol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Partition coefficient: n-octanol/water : log Pow: 2,1

1,4-Naphthoquinone:

Partition coefficient: n-octanol/water : log Pow: 1,77
Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product
08 04 09, waste adhesives and sealants containing organic solvents or other hazardous substances

unused product
08 04 09, waste adhesives and sealants containing organic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

solvents or other hazardous substances

uncleaned packagings
15 01 10, packaging containing residues of or contaminated
by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 2,8 %

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people who will be turning 16 during the calendar year are, however, except from this rule if the product is a necessary part of their education.

AFS 2011:19 - Chemical Hazards in the Working Environment (amended by AFS 2019:9), §§37a-g.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H226 : Flammable liquid and vapour.
H300 : Fatal if swallowed.
H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H330 : Fatal if inhaled.
H332 : Harmful if inhaled.
H335 : May cause respiratory irritation.
H351 : Suspected of causing cancer if inhaled.
H361d : Suspected of damaging the unborn child.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Asp. Tox. : Aspiration hazard
Carc. : Carcinogenicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
SE AFS	: Sweden. Occupational Exposure Limit Values
SE AFS / NGV	: Time Weighted Average
SE AFS / KGV	: Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1 H317

Classification procedure:

Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (A)

Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
11.0	17.08.2021	849232-00009	Date of first issue: 30.10.2013

Aquatic Chronic 3

H412

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SE / EN

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Injekteringsmassa WIT-PM200 (B)
Product code : 5918244280 (B)
Unique Formula Identifier (UFI) : MTG0-90S4-K002-J9P4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Hardener
Professional use product

1.3 Details of the supplier of the safety data sheet

Company : Würth Svenska AB
Berglundavägen 38
70236 Örebro
E-mail address of person responsible for the SDS : prodsafe@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.
Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Dibenzoyl peroxide	94-36-0 202-327-6 617-008-00-0 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

		aquatic toxicity): 10	
Quartz	14808-60-7 238-878-4	Carc. 1A; H350i STOT RE 2; H373 (Lungs)	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Silicon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store in accordance with the particular national regulations. |
| Advice on common storage | : | Do not store with the following product types:
Strong oxidizing agents |
| Storage period | : | 9 Months |
| Recommended storage temperature | : | 5 - 25 °C |

7.3 Specific end use(s)

- | | | |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Quartz	14808-60-7	NGV (Respirable fraction)	0,1 mg/m ³	SE AFS
Further information: Substance is carcinogenic.				
Quartz	14808-60-7	NGV (Respirable fraction)	0,1 mg/m ³	SE AFS
Further information: Substance is carcinogenic.				
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
Further information: Carcinogens or mutagens				

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Quartz

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Benzene	71-43-2	TWA	1 ppm 3,25 mg/m ³	2004/37/EC
Further information: Skin, Carcinogens or mutagens				
		NGV	0,5 ppm 1,5 mg/m ³	SE AFS
Further information: Substance can be easily absorbed through the skin., Substance is carcinogenic.				
		KGV	3 ppm 9 mg/m ³	SE AFS
Further information: Substance can be easily absorbed through the skin., Substance is carcinogenic.				
Biphenyl	92-52-4	KGV	0,4 ppm 2,5 mg/m ³	SE AFS
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded				
		NGV	0,2 ppm 1,3 mg/m ³	SE AFS

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-Cyclohexanedicarboxylic acid, 1,2-diisononyl ester	Workers	Inhalation	Long-term systemic effects	35 mg/m ³
	Workers	Skin contact	Long-term systemic effects	41 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

	Consumers	Inhalation	Long-term systemic effects	21 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemic effects	39 mg/m ³
	Workers	Skin contact	Long-term systemic effects	13,3 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,034 mg/cm ²
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
Glycerine	Workers	Inhalation	Long-term local effects	56 mg/m ³
	Consumers	Ingestion	Long-term systemic effects	229 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	33 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-Cyclohexanedicarboxylic acid, 1,2-diisononyl ester	Soil	44,7 mg/kg dry weight (d.w.)
	Fresh water	0,02 µg/l
Dibenzoyl peroxide	Marine water	0,002 µg/l
	Intermittent use/release	0,602 µg/l
	Sewage treatment plant	0,35 mg/l
	Fresh water sediment	0,013 mg/kg
	Marine sediment	0,001 mg/kg
	Soil	0,003 mg/kg
	Glycerine	Fresh water
Marine water		0,0885 mg/l
Intermittent use/release		8,85 mg/l
Sewage treatment plant		1000 mg/l
Fresh water sediment		3,3 mg/kg dry weight (d.w.)
	Marine sediment	0,33 mg/kg dry weight (d.w.)
	Soil	0,141 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to SS EN 166

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Hand protection

Material	:	Nitrile rubber
Break through time	:	> 480 min
Glove thickness	:	0,5 mm
Directive	:	Equipment should conform to SS EN 374

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
---------	---	---

Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
--------------------------	---	---

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to SS EN 14387
------------------------	---	---

Filter type	:	Combined particulates and organic vapour type (A-P)
-------------	---	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	substance/mixture is non-soluble (in water)
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density	:	1,59 g/cm ³ (20 °C)
Relative vapour density	:	Not applicable
Particle characteristics	:	
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	Not applicable
Available oxygen content	:	< 0,74 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition : Benzoic acid
Benzene
Phenyl benzoate
Biphenyl

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Acute oral toxicity : LD50 (Mouse): > 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC0 (Rat): 24,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Quartz:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Species : Rabbit
Result : No skin irritation

Quartz:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Dibenzoyl peroxide:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Quartz:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Species : Rat
Application Route : Skin contact
Exposure time : 104 weeks
Result : negative

Quartz:

Species : Humans
Application Route : inhalation (dust/mist/fume)
Result : positive
Remarks : These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

Reproductive toxicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

Components:

Quartz:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Lungs
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Dibenzoyl peroxide:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 54 Days
Method : OECD Test Guideline 422

Quartz:

Species : Rat
LOAEL : 0,002 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Remarks : These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

Method: OECD Test Guideline 202

Toxicity to fish (Chronic toxicity) : NOEC: 250 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 100 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity : No toxicity at the limit of solubility

Chronic aquatic toxicity : No toxicity at the limit of solubility

Components:

Dibenzoyl peroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,0602 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,11 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,0711 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,02 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 : 35 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,001 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Quartz:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 10.000 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Dibenzoyl peroxide:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

Dibenzoyl peroxide:

Partition coefficient: n- : log Pow: 3,2
octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product
08 04 09, waste adhesives and sealants containing organic solvents or other hazardous substances

unused product
08 04 09, waste adhesives and sealants containing organic solvents or other hazardous substances

uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version 15.1 Revision Date: 06.08.2021 SDS Number: 331878-00010 Date of last issue: 26.02.2021
Date of first issue: 04.11.2013

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 4,3 %, 68,4 g/l

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people who will be turning 16 during the calendar year are, however, except from this rule if the product is a necessary part of their education.

AFS 2011:19 - Chemical Hazards in the Working Environment (amended by AFS 2019:9), §§37a-g.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H241 : Heating may cause a fire or explosion.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H350i : May cause cancer by inhalation.
H373 : May cause damage to organs through prolonged or repeated exposure if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Org. Perox.	:	Organic peroxides
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
SE AFS	:	Sweden. Occupational Exposure Limit Values
2004/37/EC / TWA	:	Long term exposure limit
SE AFS / NGV	:	Time Weighted Average
SE AFS / KGV	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1 H317

Classification procedure:

Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Injekteringsmassa WIT-PM200 (B)

Version	Revision Date:	SDS Number:	Date of last issue: 26.02.2021
15.1	06.08.2021	331878-00010	Date of first issue: 04.11.2013

Eye Irrit. 2

H319

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SE / EN